

**From:** [Jose Cisneros](#)  
**To:** [MAUPIN, NATALIE](#)  
**Cc:** [Ellens, Newton](#); [Kenneth Myers](#)  
**Subject:** East Chicago Sanitary District 2Q'21 Non Compliance Pretreatment Report  
**Date:** Thursday, July 29, 2021 1:03:38 PM  
**Attachments:** [ATT00001.txt](#)  
[image002.png](#)  
[image003.png](#)  
[image004.png](#)  
[image005.png](#)  
[ECSD 2021 Non Compliance PT Report.pdf](#)

---

Hello Natalie:

Please find as attached, the District's 2Q'21 Non-Compliance Pretreatment report as I further welcome any relevant inquiries.

Kind Regards,

*Jose Cisneros*

Pretreatment Coordinator

East Chicago Sanitary District Wastewater

5201 Indianapolis Blvd.

East Chicago, IN 46312

O: (219)516-2317

F: (219)391-8254



*Visit us at...*



## Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).